

Fig. 1





Fig. 3

0966706-09159

Fig. 2



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

MS1-387US


Annotation Entry

180 ↘

Author <u>182</u>
Time Range <u>184</u>
Time Units <u>186</u>
Creation Time <u>188</u>
Title <u>190</u>
Content <u>192</u>
Annotation Identifier <u>194</u>
Related Annotation Identifier <u>196</u>
Set Identifier(s) <u>198</u>
Media Content Identifier <u>200</u>
Property Fields <u>202</u>
Sequence Number <u>204</u>

Fig. 4

09396706-091599
665T60" 90296E60

*Fig. 5*




Fig. 6




Fig. 7

00396706-091599

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

MS1-387US

330

332

Fig. 8

340

290

292

344

342

Fig. 9

665160" 90296E60




Fig. 10




Fig. 11

665T60" 90496E60




Fig. 12




Fig. 13

00936706.001590
665160-30796660

665160" 90/95E60




Fig. 15




Fig. 14




Fig. 16




Fig. 17

MS1-387US




Fig. 18




Fig. 19

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

MS1-387US




Fig. 20




Fig. 21

09396706-091599

Best Available Copy




Fig. 22





Fig. 23

653T60" 90496E60

670



618

672

678

674

676

Fig. 24

[illegible]

690


676

692

Fig. 25

665T60" 90496E60

710



712

Fig. 26